

# **Technical Specifications**

## **MOBOTIX FF Group LPR App - Region US**

#### **Certified App for License Plate Recognition**

The application recognizes with at least 95% hit probability single and double line license plates from the USA with Latin characters. The high-performance app is capable of monitoring up to three lanes. Depending on the amount of lanes, the application is suitable for vehicles with up to 200 km/h. Via granted & denied, any follow-up actions can be triggered when a recognized license plate belongs to a list (e.g. notification to security service). The app can be tested free of charge for 30 days and is activated by license for an unlimited period of time. Typical application areas for the app are: Parking management, access control and regulation, traffic monitoring.

- App delivers events via MxMessageSystem in real-time
- Integrated recognition protocol (last 1000 recognized license plates)
- Detection with at least 95 % accuracy (depending on environmental conditions)
- Camera can be online or offline
- Configuration of the application also via MxManagementCenter (free Advanced Config license required)
- Can be used with all cameras of the MOBOTIX 7 system platform

**HEVC**Advance

**MOBOTIX** 

### **Technical Specifications**

#### **MOBOTIX FF Group LPR App - Region US**

#### **Product Information**

Product Name FF Group LPR App – Region US

Order Code Mx-APP-FF-LPR-AM

Supported MOBOTIX Cam- Mx-M73A, Mx-S74A

eras

Minimum Camera Firmware v7.1.2.24

MxManagementCenter Integ- - min. MxMC v2.4.x

ration - Configuration: Advanced Config license required

- Event Search: Smart Data Interface license included

#### **Product Features**

App Features - License plate recognition of one- and two-line license plates

- Recognition of latin characters optimized for American license plates

- Recognition log (Smart Data / Event Search via MxManagementCenter)

- MOBOTIX events via MxMessageSystem

- Multiple lists for individual actions (e.g. access granted, alarm, etc.)

Maximum number of lanes 3

Maximum number of

enrolled license plates

1000

Meta Data / Statistic

formats

**JSON** 

Trial License

30-day trial license pre-installed

MxMessageSystem sup-

Integration interfaces

ported

Yes

- 3rd party integration via HTTP(S) Post and TCP messages

- compare supported camera interfaces

MOBOTIX Events Yes

ONVIF Events Yes (Generic message event)

## **Supported Regions**

Supported license plates / see https://community.mobotix.com/t/ff-group-lpr-app-region-america-sup-

countries ported-license-plates-countries/3293

## **Scene Requirements**

License Plate Width	min. 130p max. 300px
Maximum Vertical Angle	30°
Maximum Horizontal Angle	30°
Maximum Tilt Angle	5°

# **Technical App Specifications**

Synchronous / Asyn- chronous App	synchronous
Simultaneous execution of other apps	Yes (considering performance requirements)
Accuracy	min. 95% (considering scene requirements)
Processed framerate	typ. 10 fps
Detection time	typ. 80ms (one lane) typ. 120ms (two lanes)



#### EN\_03/21

MOBOTIX AG • Kaiserstrasse • D-67722 Langmeil • Tel.: +49 6302 9816-103 • sales@mobotix.com • www.mobotix.com

MOBOTIX is a trademark of MOBOTIX AG registered in the European Union, the U.S.A., and in other countries. Subject to change without notice. MOBOTIX do not assume any liability for technical or editorial errors or omissions contained herein. All rights reserved. © MOBOTIX AG 2021