



Technical Specifications

MOBOTIX VAXTOR License Plate Recognition App

Worldwide usable with over 99% accuracy

The Certified VAXTOR License Plate Recognition App recognizes, based on deep learning processes, characters from all over the world (Latin, Hebrew, Asian and Arabic characters). The application can be used at maximum speeds of up to 160 km/h and on several lanes and is characterized by an extremely high hit probability of over 99 percent.

Via a blocking or permission list, authorized, blocked or searched vehicles can be defined specifically. For example, a gate or barrier in an access road can open or be blocked automatically.

- Subject to license, single payment for unlimited use
- Recognition of license plates with global country coverage
- With over 99% accuracy optimally suited for license plate based access control
- Use of blocking and permission lists possible
- LPR application with full 4K resolution possible
- App-integrated Smart Data Data Interface for data retrieval with MxManagementCenter version 2.4 or higher (e.g. to search for specific license plates, even across multiple LPR cameras)



Technical Specifications MOBOTIX VAXTOR License Plate Recognition App

Product Information

Product Name	VAXTOR License Plate Recognition App
Order Code	Mx-APP-VX-LPR
Supported MOBOTIX Cameras	Mx-M73A, Mx-S74A
Minimum Camera Firmware	V7.0.6.18
MxManagementCenter Integration	<ul style="list-style-type: none">■ min. MxMC v2.3.1■ Configuration: Advanced Config license required■ Recognition Log: Smart Data Interface license required

Product Features

App Features	<ul style="list-style-type: none">■ License plate recognition of one- and two-line license plates■ Latin, Hebrew, Arabic and Asian characters■ Recognition log (Smart Data / Event Search via MxManagementCenter)■ MOBOTIX events via MxMessageSystem■ Global country coverage■ Two lists for individual actions (e.g. access granted/denied, alarm, etc.)■ Free flow and signaled mode for LPR & ADR
Maximum number of lanes	2
Maximum number of enrolled license plates	1000 per list
Meta Data / Statistic formats	JSON
Trial License	30-day trial license pre-installed
MxMessageSystem supported	Yes
Interfaces	<ul style="list-style-type: none">■ Milestone X-Protect■ Vaxtor Helix■ Generic 3rd party integration via XML■ Compare supported camera's interfaces
MOBOTIX Events	Yes
ONVIF Events	Yes (Generic message event)

Supported Regions

Supported license plates	https://community.mobotix.com/t/vaxtor-lpr-app-supported-license-plates-countries
--------------------------	---

Scene Requirements

Character Height	20px - 50px (depending on the plate type)
Maximum Vertical Angle	30°
Maximum Horizontal Angle	< 25°
Maximum Tilt Angle	< 25°

Technical App Specifications

MOBOTIX App support	Yes
Synchronous / Asynchronous App	Asynchronous
Accuracy	Min. 99% (considering scene requirements)
Processed number of frames per second	Typ. 10 fps
Detection time	Typ. 100 – 120 ms



[EN_03/21](#)

MOBOTIX AG • Kaiserstrasse • D-67722 Langmeil • Tel.: +49 6302 9816-103 • sales@mobotix.com • www.mobotix.com

MOBOTIX is a trademark of MOBOTIX AG registered in the European Union, the U.S.A., and in other countries. Subject to change without notice. MOBOTIX do not assume any liability for technical or editorial errors or omissions contained herein. All rights reserved. © MOBOTIX AG 2020