



Technical Specifications

MOBOTIX MxAnalytics AI App

Object Recognition Based on Artificial Intelligence

The app's artificial intelligence-based algorithms collect behavioral data on individuals and objects. In a heat map, the most frequented locations in the detection are color-coded. Furthermore movements in defined restricted areas can be detected. Best suited for: Utilities, Energy & Mining; Industry & Production; Government; Traffic & Transportation; Retail; Healthcare; Education & Science

- Free of charge and license-free
- Motion detection in (defined) restricted areas
- Person/object counting based on motion detection (optional: accumulated)
- Creates Heatmaps
- Auto-generated counting and heat map reports
- Can be used with all cameras of the MOBOTIX 7 system platform



Technical Specifications

Product Information

Product Name	MxAnalytics AI App
Supported MOBOTIX Cameras	Mx-M73A, Mx-S74A
Minimum Camera Firmware	V7.0.6.x
MxManagementCenter Integration	<div><div>■ min. MxMC v2.4</div><div>■ Advanced Config license required</div></div>

Product Features

App Features	<div>Analytics features:</div> <div><div>■ Deep learning object recognition as basis for MxAnalytics features</div><div>■ People / Object Counting</div><div>■ Heatmap</div><div>■ Restricted Area (Motion Detection)</div></div> <div>Other features:</div> <div><div>■ time table to enable MxAnalytics only within defined schedules (e.g. opening hours)</div><div>■ auto-generated people / object counting reports</div><div>■ auto-generated heatmap reports</div><div>■ MOBOTIX events via MxMessageSystem</div></div>
Recognized objects	<div>Persons</div> <div>Vehicles: Car, Truck, Bus, Motorcycle, Bicycle, Boat, Airplane, Train</div> <div>Animals: Bird, Cat, Dog, Horse, Sheep, Cow, Elephant, Bear, Zebra, Giraffe</div>
Maximum number of counting corridors	16
Maximum number of restricted areas	20

Supported image sensor types	Day, Night, Day/Night
Dual / Multi Sensor usage	No
MxMessageSystem supported	Yes
Report export formats	Counting reports: CSV and HTML (table view) Heatmap reports: JPEG
MOBOTIX events	Yes
ONVIF Events	Yes (Generic Message events)

Hardware Requirements

Camera Sensor Connector	Connector 1 (Only one image sensor usable)
-------------------------	--

Scene Requirements for Object Recognition

Recommended camera position	wall mounted
Recommended installation height (camera)	2m - 4m
Recommended viewing angle on object	0° - 30° (wall mount perspective)
Minimum object size	1/10 of image height

Scene Requirements for Object Counting / Heatmapping

Recommended camera position	ceiling mounted (90°), wall mounted (0°)
Recommended installation height (camera)	2,5 - 10 m (depending on lens variant)
Minimum object size	250px

Technical App Specifications

Synchronous / Asynchronous App	Asynchronous
Detection accuracy	Person: > 90% Vehicle: > 80%
Counting accuracy	> 90%
Processed number of frames per second	typ. 5 fps



EN_07/21

MOBOTIX AG • Kaiserstrasse • D-67722 Langmeil • Tel.: +49 6302 9816-103 • sales@mobotix.com • www.mobotix.com

MOBOTIX is a trademark of MOBOTIX AG registered in the European Union, the U.S.A., and in other countries. Subject to change without notice. MOBOTIX do not assume any liability for technical or editorial errors or omissions contained herein. All rights reserved. © MOBOTIX AG 2020