



MOBOTIXCLOUD

Technical Specifications

MOBOTIX Cloud

V1.05_1/18/2022

Simply Secure. Easy for Sure.

Enjoy more freedom with MOBOTIX Cloud.

Cloud technology is the future — so why not get started today? MOBOTIX Cloud is an agile and dynamic platform that opens up entirely new opportunities for you or your business. Access your video systems conveniently and securely, wherever you want, whenever you want. Manage your cameras and users easily and efficiently — from any device, whether you prefer a smartphone, tablet or PC.

Technical Specifications

MOBOTIX Cloud Bridge Hardware

Order Code	Mx-S-BRIDGEA-DT-15	
Number of Cameras/ ONVIF S Channels	Image Size / Resolution	max. number of IP cameras
	1MP (720p)	15
	2MP (1080p)	10
	3MP	8
	4MP	6
	5MP	5
	8MP (4K-UHD)	3
	with Cloud Analytics:	5
Interfaces	<ul style="list-style-type: none">▪ 2x Gigabit Ethernet (WAN, CamLAN)▪ 1x HDMI▪ 1x Display Port (DP)▪ 1x USB 2.0▪ 2x USB 3.0 (front)▪ 2x USB 3.0 (rear)▪ 1x SD Card Slot (HC, XC)▪ 1x Microphone 3.5 mm▪ 1x Headset 3.5 mm▪ 1x IR Remote Control (for future usage)	
Encryption	<ul style="list-style-type: none">▪ TLS Version 1.2▪ AES 256 (proprietary algorithm)▪ HTTPS	
Power Supply	External Power Supply	
Power Requirements	100–240 V AC, typ. 10 Watt	
Cooling Fans	None	
Dimensions (W x H x D)	127 x 45 x 127 mm/5 x 1.75 x 5 in	
Hard Disk	1x 2,5" SATA 1 TB (included)	

Net Storage	800 GB (for 2 days on-premise buffering)
Temperature Range	0 to 35 °C/32 to 95 °F
Humidity Range	0 to 70 % relative humidity
Certifications	CE, FCC, RCM, REACH, RoHS
Detailed Technical Documentation	www.mobotix.com > Support > Download Center > Marketing & Documentation > Manuals

MOBOTIX Cloud Bridge – Dimensions

