

Technical Specifications

MOBOTIX Object Recognition App

Product Information

Product Name MOBOTIX Object Recognition App

Supported Mx-M73A, Mx-S74A

MOBOTIX Cameras

Minimum Camera Firmware V7.0.6.x

MxManagementCenter Integration ■ min. MxMC v2.4

Advanced Config license required



MOBOTIX

Product Features

App Features	Analytics features:	
	 Deep learning object recognition as basis for MxAnalytics features Restricted Area (Motion Detection) Basicfeatures:	
	 time table to enable MxAnalytics only within defined schedules (e.g. opening hours) MOBOTIX events via MxMessageSystem 	
Recognized objects	 Persons Vehicles: Car, Truck, Bus, Motorcycle, Bicycle, Boat, Airplane, Train Animals: Bird, Cat, Dog, Horse, Sheep, Cow, Elephant, Bear, Zebra, Giraffe 	
Supported image sensor types	Day, Night, Day/Night	
Dual / Multi Sensor usage	No	
MxMessageSystem supported	Yes	
MOBOTIX events	Yes	
ONVIF Events	Yes (Generic Message events)	

Hardware Requirements

Camera Sensor Connector Connector 1 (Only one image sensor usable)

Scene Requirements for Object Recognition

Recommended camera position	wall mounted	
Recommended	2m - 4m	
installation height (camera)		
Recommended viewing angle on object 0° - 30° (wall mount perspective)		
Minimum object size	1/10 of image height	

Technical App Specifications

Synchronous / Asynchronous App	Asynchronous
Detection accuracy	Person: > 90% Vehicle: > 80%
Counting accuracy	> 90%
Processed number of frames per second	typ. 5 fps

