83 52 <u>В</u><u>G</u>-LUKO 52 <u>В</u><u>G</u>-LUKO 7912 096 - 7 Zagkks <u>31700 kg</u> 131700 kg (80 8001 g) 120.0 t (-14.80 m) тара на домаване-расе-север

Technical Specifications

Vaxtor UIC - Railway Code Recognition App

Recognition of International Union of Railways Wagon and Coach Numbers (UIC)

The certified Vaxtor UIC - Railway Code Recognition App recognizes, based on deep learning processes UIC codes (International Union of Railways Wagon and coach numbers) which adhere to the International standard. The OCR engine takes advantage of many current integrations and publishing capabilities that have been developed over many years.

- Recognition of the UIC Codes
- Real time results for UIC Code, Country Code, Vehicle Type, Control Digit, Direction of travel
- Stop / Go and slow speed (<10 km/h) applications (depending on installation and module selection)
- MOBOTIX events via MxMessageSystem
- Consolidated event search via MxManagementCenter Smart Data Interface and / or MOBOTIX HUB
- meta data transfer through generic transmission protocols and / or pre-defined 3rd party interfaces
- Two lists for individual actions (e.g. access granted/denied, alarm, etc.)
- Free flow and signaled mode

HEVCAdvance™

Beyond Human Vision

MOBOTIX

Product Information

Product Name	Vaxtor UIC - Railway Code Recognition App	
Order Code	Mx-APP-VX-UIC	
Supported MOBOTIX Cam- eras	Mx-M73A, Mx-S74A	
Minimum Camera Firmware v7.1.4.x		
MxManagementCenter com patibility	 min. MxMC v2.4.3 Configuration: Advanced Config license required Event Search: Smart Data Interface license included 	
MOBOTIX HUB com- patibility.	 min. MOBOTIX HUB version: 2020 R3 min. MOBOTIX HUB license level (Analytics Events): L2 min. MOBOTIX HUB license level for Event Search Plug-In : L4 	

Prod	uct	Feat	ures

App Features	 Recognition of cargo container codes according to ISO 6346
	Real time results:Container Code
	 Owner and corresponding origin
	Container Type
	Container Dimensions
	 Control Digit
	 Control Digit Validation
	 Recognition log (Smart Data / Event Search via MxManagementCenter)
	 MOBOTIX events via MxMessageSystem
	 Two lists for individual actions (e.g. access granted/denied, alarm, etc.)
	Free flow and Signaled mode
Maximum number of recog- nition areas	1
Maximum number of enrolled UIC codes	5000 per list

Technical Specifications MOBOTIX Vaxtor UIC - Railway Code Recognition App

Meta Data / Statistic formats	JSON, XML
Trial License	30-day trial license pre-installed
MxMessageSystem sup- ported	Yes
Integration Interfaces	MxMC Smart Data
	IP Notification
	 Milestone X-Protect (Analytics Events, Transmission Plug-In)
	MOBOTIX SYNC
	 Genetec Security Center (Custom Events, Bookmarks)
	 generic 3rd party integration through FTP and / or XML / JSON via HTTP(S)
	 compare supported camera's interfaces
MOBOTIX Events	Yes
ONVIF Events	Yes (Generic Message event)

Supported Railway Codes

Supported Railway Codes	Wagon numbers / codes according to the specification of the International
	Union of Railways

Scene Requirements

Character Height	20рх - 50рх
Maximum Vertical Angle	30°
Maximum Horizontal Angle	< 25°
Maximum Tilt Angle	< 25°

Technical Specifications Vaxtor UIC - Railway Code Recognition App

Technical App Specifications

Synchronous / Asyn- chronous App	asynchronous
Simultaneous execution of other apps	No
Accuracy	min. 99% (considering scene requirements)
Processed frame rate	typ. 2 fps
Detection time	typ. 900 ms per wagon



EN_07/23 MOBOTIX AG • Kaiserstrasse • D-67722 Langmeil • Tel.: +49 6302 9816-103 • sales@mobotix.com • www.mobotix.com MOBOTIX is a trademark of MOBOTIX AG registered in the European Union, the U.S.A., and in other countries. Subject to change without notice. MOBOTIX do not assume any liability for technical or editorial errors or omissions contained herein. All rights reserved. © MOBOTIX