

Technical Specifications

Vaxtor License Plate Recognition / Dangerous Goods App

Worldwide usable with over 99% accuracy

The certified Vaxtor License Plate Recognition / Dangerous Goods App recognizes, based on deep learning processes, characters from all over the world. The application can be used at maximum speeds of up to 160 km/h on several lanes with an hit probability of over 99 percent. Via easily editable lists, authorized, blocked or searched vehicles can be defined specifically. For example, a gate or barrier in an access road can open or be blocked automatically. The app can be tested free of charge for 30 days and is activated by license for an unlimited period of time.

- Recognition of license plates with global country coverage
- With over 99% accuracy optimally suited for license plate based access control
- Use of blocking and permission lists possible
- Free flow and signaled mode for LPR
- App-integrated Smart Data Data Interface for data retrieval with MxManagementCenter from version 2.4.



MOBOTIX

Technical Specifications

Vaxtor License Plate Recognition / Dangerous Goods App

Product Information

Product Name	Vaxtor License Plate Recognition / Dangerous Goods App	
Order Code	Mx-APP-VX-LPR	
Supported MOBOTIX Cameras	Mx-M73A, Mx-S74A	
Minimum Camera Firmware V7.0.6.18		
MxManagementCenter Integration	min. MxMC v2.3.1Configuration: Advanced Config license required	
	Recognition Log: Smart Data Interface license required	

Product Features

App Features	License plate recognition of one- and two-line license plates
	Latin, Hebrew, Arabic and Asian characters
	Recognition log (Smart Data / Event Search via MxManagementCenter)
	■ MOBOTIX events via MxMessageSystem
	■ Global country coverage
	Two lists for individual actions (e.g. access granted/denied, alarm, etc.)
	Free flow and signaled mode for LPR
Maximum number of lanes	2
Maximum number of enrolled license plates	1000 per list
Meta Data / Statistic formats	JSON
Trial License	30-day trial license pre-installed
MxMessageSystem sup- ported	Yes
Interfaces	■ Milestone X-Protect
	■ MOBOTIX SYNC
	■ Generic 3rd party integration via XML
	 Compare supported camera's interfaces

MOBOTIX Events Ye	S:
-------------------	----

ONVIF Events Yes (Generic message event)

Supported Regions

Supported license plates https://community.mobotix.com/t/vaxtor-lpr-app-supported-license-plates-

countries

Scene Requirements

Character Height	20px - 50px (depending on the plate type)
Maximum Vertical Angle	30°
Maximum Horizontal Angle	< 25°
Maximum Tilt Angle	< 25°

Technical App Specifications

MOBOTIX App support	Yes
Synchronous / Asyn- chronous App	Asynchronous
Accuracy	Min. 99% (considering scene requirements)
Processed number of frames per second	Typ. 10 fps
Detection time	Typ. 100 – 120 ms

