



Technical Specifications

MOBOTIX Irisity IRIS Anonymization App

Respecting Privacy - Anonymous & Data-secure

Irisity IRIS Anonymization App - Choose to detect suspicious activity rather than exposing personal identity. Pixelate or mask out specific zones to comply with camera permit regulations. IRIS™ Anonymization is particularly suitable for sensitive installations such as school, health, and public places.

- Patented dynamic pixelation of people in the camera's field of view.
- Comply with privacy and data regulations.
- Enables quick implementation to new installations.
- De-identify people in live and recorded video images.
- Applicable in indoor and outdoor camera operation.



Technical Specifications

Irisity IRIS Anonymization App

Product Information

Product Name	Irisity IRIS Anonymization App
Order Code	Mx-APP-IRIS-ANO
Supported MOBOTIX Cameras	M73, S74, D71, p71, v71
Minimum Camera Firmware	V7.3.4.x
MxManagementCenter Integration	<ul style="list-style-type: none">min. MxMC v2.5.3Configuration: Advanced Config license required

Product Features

App Features	<ul style="list-style-type: none">patented dynamic pixelation of people in the camera's field of viewAI object classification enables pixelation of people, even if they are not in motiondesigned to address GDPR and privacy regulationspixelation of persons from a minimum height of 20 pixels (see criteria IEC/EN 62676-4)Configurable option to force switch to black/white image to ensure maximum privacyapplicable in indoor and outdoor camera operation
Trial License	30-day trial license pre-installed

NOTE!

7-series camera models equipped with hemispheric optics are not supported.

Functions that are not affected by anonymization and should therefore not be executed in parallel:

- Raw image streaming mode of the camera
 - Certified A.I. Tech Apps
 - FTP upload of camera raw images
 - full image recording
-

Scene Requirements

Minimum object height	20 px
Recommended camera mounting height	3 - 5 m
Maximum tilt angle	typ. 50°

Technical App Specifications

Synchronous / Asynchronous App	synchronous
Accuracy	> 99% (considering scene requirements)
Processed number of frames per second	typ. 10 fps

MOBOTIX

BeyondHumanVision

[EN_02/24](#)

MOBOTIX AG • Kaiserstrasse • D-67722 Langmeil • Tel.: +49 6302 9816-103 • sales@mobotix.com • www.mobotix.com

MOBOTIX is a trademark of MOBOTIX AG registered in the European Union, the U.S.A., and in other countries. Subject to change without notice. MOBOTIX do not assume any liability for technical or editorial errors or omissions contained herein. All rights reserved. © MOBOTIX AG 2021